INVITATION TO BID	ART OF	TO	BIDS WILL BE PUBLICL	Y OPENED:
STATE OF LOUISIANA			APR 21, 2010	02:00 PM
LA DEPT OF PUBLIC SAFETY & CORRECT HQ-PURCHASING	THE REAL PROPERTY.	The state of the s	PURCHASING AGENCY NO. :	: 400PUR
====> VENDOR NO. :				
OPENING DATE: 04/21/10		i	SEE NO. 8 BELOW. RE	TURN BID TO
VENDOR NAME AND ADDRESS			2239088 04/21/10	02.001
====>			HQ-PURCHASING PURCHASING/CORRECTION P.O. BOX 94304 504 MAYFLOWER STREET BATON ROUGE, LA 70804-93	
	_		BUYER PHONE : (2 DATE ISSUED : 0	(IM TOWNLEY 225) 342-6596 4/15/10 02000 FOLD HERE>
FILL IN VENDOR NUMBER (FEIN), NAI ADDRESS ABOVE, BEFORE SUBMITT			AGENCY REQ. NO. : 4 ISIS REQ. NO. : 1: VENDOR PHONE : FISCAL YEAR : 1 CLASS/SUBCLASS : 0: SCHEDULED BEGIN DATE : 0:	02-02741 331477 0 3165
HVAC UNIT & ACCESSORIES:LSP, ANGOLA FURNISH ONLY - AGENCY WILL INSTALL				
TO BE COM 1. PLEASE REMOVE FROM THIS COMMODITY CODE. 2. DELIVERY WILL BE MADE IN THIS NUMBER OF DAYS AFTER REC 3. % CASH DISCOUNT FOR PROMPT PAYMENT IF MADE WITHIN THII LESS THAN 30 DAYS OR LESS THAN 1% WILL BE ACCEPTED, BUT DETERMINING AWARDS. ON INDEFINITE QUANTITY TERM CONTR BUT WILL NOT BE CONSIDERED IN DETERMINING AWARDS. 4. BID BOND ATTACHED, CERTIFIED CHECK ATTAC 5. BID REFERENCE NUMBER. (THIS NUMBER WILL APPEAR ON RES	IRTY (30) DAYS. T WILL NOT BE RACTS, CASH D	ER. CASH DISCO CONSIDERED DISCOUNTS WI OTHER, IF	O IN ILL BE ACCEPTED AND TAKEN F REQUIRED.	
	IONS TO BIDDE			
 READ THE ENTIRE BID, INCLUDING ALL TERMS AND CONDITIONS AND SF ALL BID PRICES MUST BE TYPED OR WRITTEN IN INK. ANY CORRECTION INITIALED BY THE BIDDER. THIS BID IS TO BE MANUALLY SIGNED IN INK. BID PRICES SHALL INCLUDE DELIVERY OF ALL ITEMS F.O.B. DESTINATIO OR "C.O.D" REQUIREMENTS MAY BE REJECTED. PAYMENT IS TO BE MAI INVOICE OR DELIVERY, WHICHEVER IS LATER. 	NS, ERASURES ON OR AS OTHE DE WITHIN 30 D	OR OTHER FO	IDED. BIDS CONTAINING "PAYMENT IN A	FOLD HERE>
AMOUNT OF BID BOND REQUIRED:	c			RKED WITH
THE BID OPENING DATE AND THE BID NUMBER, OR SUBMITTED IN THE S 9. BIDS SUBMITTED ARE SUBJECT TO PROVISIONS OF THE LAWS OF THE S PURCHASING RULES AND REGULATIONS; EXECUTIVE ORDERS; STANDA IN THIS SOLICITATION. 10. IMPORTANT: BY SIGNING THE BID, THE BIDDER CERTIFIES COMPLIANCE SPECIFICATIONS, AND FURTHER CERTIFIES THAT THIS BID IS MADE WITH BY A PERSON AUTHORIZED TO BIND THE VENDOR (SEE NO.30). ALL BID	STATE OF LOUIS ARD TERMS AND E WITH ALL INS HOUT COLLUSI	SIANA INCLUE D CONDITIONS STRUCTIONS T ION OR FRAUE	DING BUT NOT LIMITED TO L.R.S. 39:1551 S; SPECIAL CONDITIONS; AND SPECIFIC TO BIDDERS, TERMS, CONDITIONS AND D. THIS BID IS TO BE MANUALLY SIGNEI	ATIONS LISTED
, ,		· · · · · · · · · · · · · · · · · · ·		
VENDOR PHONE NUMBER: T FAX NUMBER:	TITLE		DATE	
SIGNATURE OF AUTHORIZED BIDDER - SEE NO. 30, PAGE 3 (MUST BE SIGNED)		NAME OF (TYPED OI	BIDDER R PRINTED)	

STANDARD TERMS & CONDITIONS	INVITATION TO BID	
NUMBER : 2239088 OPEN DATE: 04/21/10 TIME: 02:00 PM T-NUMBER :	BIDDER:	PAGE 2

11 ADDRESS ALL INQUIRIES AND CORRESPONDENCE TO THE BUYER AT THE PHONE AND ADDRESS SHOWN ABOVE.

12. CONFERENCE:

NA

NΔ

NA

13. BID FORMS.

ALL WRITTEN BIDS. UNLESS OTHERWISE PROVIDED FOR, MUST BE SUBMITTED ON, AND IN ACCORDANCE WITH, FORMS PROVIDED, PROPERLY SIGNED (SEE NO. 30). BIDS SUBMITTED IN THE FOLLOWING MANNER WILL NOT BE ACCEPTED:

- A. BID CONTAINS NO SIGNATURE INDICATING INTENT TO BE BOUND:
- B. BID FILLED OUT IN PENCIL: AND
- C. BID NOT SUBMITTED ON THE STATE'S STANDARD FORMS.

BIDS MUST BE RECEIVED AT THE ADDRESS SPECIFIED IN THE SOLICITATION PRIOR TO BID OPENING TIME IN ORDER TO BE CONSIDERED. TELEGRAPHIC AND FAX ALTERATIONS TO BIDS RECEIVED BEFORE BID OPENING TIME WILL BE CONSIDERED PROVIDED FORMAL BID AND WRITTEN ALTERATION HAVE BEEN RECEIVED AND TIME-STAMPED BEFORE BID OPENING TIME. ENTIRE BID SHOULD BE RETURNED, EXCEPT ITEM PAGES NOT

14. STANDARDS OF QUALITY.

ANY PRODUCT OR SERVICE BID SHALL CONFORM TO ALL APPLICABLE FEDERAL AND STATE LAWS AND REGULATIONS AND THE SPECIFICATIONS CONTAINED IN THE SOLICITATION. UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION, ANY MANUFACTURER'S NAME, TRADE NAME, BRAND NAME, OR CATALOG NUMBER USED IN THE SPECIFICATION IS FOR THE PURPOSE OF DESCRIBING THE STANDARD OF QUALITY, PERFOMANCE, AND CHARACTERISTICS DESIRED AND IS NOT INTENDED TO LIMIT OR RESTRICT COMPETITION. BIDDER MUST SPECIFY THE BRAND AND MODEL NUMBER OF THE PRODUCT OFFERED IN HIS BID. BIDS NOT SPECIFYING BRAND AND MODEL NUMBER SHALL BE CONSIDERED AS OFFERING THE EXACT PRODUCTS SPECIFIED IN THE SOLICITATION.

15. DESCRIPTIVE INFORMATION.

BIDDERS PROPOSING AN EQUIVALENT BRAND OR MODEL SHOULD SUBMIT WITH THE BID INFORMATION (SUCH AS ILLUSTRATIONS, DESCRIPTIVE LITERATURE, TECHNICAL DATA) SUFFICIENT FOR STATE OF LOUISIANA TO EVALUATE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS IN THE SOLICITATION. FAILURE TO SUBMIT DESCRIPTIVE INFORMATION MAY CAUSE BID TO BE REJECTED. ANY CHANGE MADE TO A MANUFACTURER'S PUBLISHED SPECIFICATIONS SUBMITTED FOR A PRODUCT SHALL BE VERIFIABLE BY THE MANUFACTURER. IF ITEM(S) BID DO NOT FULLY COMPLY WITH SPECIFICATIONS (INCLUDING BRAND AND/OR PRODUCT NUMBER), BIDDER MUST STATE IN WHAT RESPECT ITEM(S) DEVIATE. FAILURE TO NOTE EXCEPTIONS ON THE BID FORM WILL NOT RELIEVE THE SUCCESSFUL BIDDER(S) FROM SUPPLYING THE ACTUAL PRODUCTS REQUESTED.

16. BID OPENING.

BIDDERS MAY ATTEND THE BID OPENING, BUT NO INFORMATION OR OPINIONS CONCERNING THE ULTIMATE CONTRACT AWARD WILL BE GIVEN AT THE BID OPENING OR DURING THE EVALUATION PROCESS. BIDS MAY BE EXAMINED WITHIN 72 HOURS AFTER BID OPENING. INFORMATION PERTAINING TO COMPLETED FILES MAY BE SECURED BY VISITING THE STATE OF LOUISIANA DURING NORMAL WORKING HOURS. WRITTEN BID TABULATIONS WILL NOT BE FURNISHED.

17. AWARDS.

THE STATE OF LOUISIANA RESERVES THE RIGHT TO AWARD ITEMS SEPARATELY, GROUPED OR ON AN ALL-OR-NONE BASIS AND TO REJECT ANY OR ALL BIDS AND WAIVE ANY INFORMALITIES.

LINESS OTHERWISE SPECIFIED BY THE STATE OF LOUISIANA IN THE SQLICITATION, BID PRICES MUST BE COMPLETE, INCLUDING TRANSPORTATION PREPAID BY BIDDER TO DESTINATION AND FIRM FOR ACCEPTANCE FOR A MINIMUM OF 30 DAYS. IF ACCEPTED, PRICES MUST BE FIRM FOR THE CONTRACTUAL PERIOD. BIDS OTHER THAN F.O.B. DESTINATION MAY BE REJECTED. PRICES SHOULD BE QUOTED IN THE UNIT (EACH, BOX, CASE, ETC.) AS SPECIFIED IN THE SOLICITATION.

19. DELIVERIES.

BIDS MAY BE REJECTED IF THE DELIVERY TIME INDICATED IS LONGER THAN THAT SPECIFIED IN THE SOLICITATION.

20. TAXES.

VENDOR IS RESPONSIBLE FOR INCLUDING ALL APPLICABLE TAXES IN THE BID PRICE. STATE AGENCIES ARE EXEMPT FROM ALL STATE AND LOCAL SALES AND USE TAXES.

STANDARD TERMS & CONDITIONS	INVITATION TO BID	
NUMBER : 2239088 OPEN DATE: 04/21/10 TIME: 02:00 PM T-NUMBER :	BIDDER:	PAGE 3

21. NEW PRODUCTS.

UNLESS SPECIFICALLY CALLED FOR IN THE SOLICITATION, ALL PRODUCTS FOR PURCHASE MUST BE NEW, NEVER PREVIOUSLY USED, AND THE CURRENT MODEL AND/OR PACKAGING. NO REMANUFACTURED, DEMONSTRATOR, USED OR IRREGULAR PRODUCT WILL BE CONSIDERED FOR PURCHASE UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION. THE MANUFACTURER'S STANDARD WARRANTY WILL APPLY UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.

22. CONTRACT RENEWALS.

UPON AGREEMENT OF THE STATE OF LOUISIANA AGENCY AND THE CONTRACTOR, A TERM CONTRACT MAY BE EXTENDED FOR 2 ADDITIONAL 12-MONTH PERIODS AT THE SAME PRICES, TERMS AND CONDITIONS. IN SUCH CASES, THE TOTAL CONTRACT TERM CANNOT EXCEED 36 MONTHS.

23. CONTRACT CANCELLATION.

THE STATE OF LOUISIANA HAS THE RIGHT TO CANCEL ANY CONTRACT, IN ACCORDANCE WITH PURCHASING RULES AND REGULATIONS, FOR CAUSE, INCLUDING BUT NOT LIMITED TO, THE FOLLOWING: (1) FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE CONTRACT; (2) FAILURE OF THE PRODUCT OR SERVICE TO MEET SPECIFICATIONS, CONFORM TO SAMPLE QUALITY OR TO BE DELIVERED IN GOOD CONDITION; (3) MISREPRESENTATION BY THE CONTRACTOR; (4) FRAUD, COLLUSION, CONSPIRACY OR OTHER UNLAWFUL MEANS OF OBTAINING ANY CONTRACT WITH THE STATE; (5) CONFLICT OF CONTRACT PROVISIONS WITH CONSTITUTIONAL OR STATUTORY PROVISIONS OF STATE OR FEDERAL LAW; (6) ANY OTHER BREACH OF CONTRACT.

24. DEFAULT OF CONTRACTOR.

FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE BID WILL CONSTITUTE A DEFAULT AND MAY CAUSE CANCELLATION OF THE CONTRACT.
WHERE THE STATE HAS DETERMINED THE CONTRACTOR TO BE IN DEFAULT, THE STATE RESERVES THE RIGHT TO PURCHASE ANY OR ALL PRODUCTS
OR SERVICES COVERED BY THE CONTRACT ON THE OPEN MARKET AND TO CHARGE THE CONTRACTOR WITH COST IN EXCESS OF THE CONTRACT
PRICE. UNTIL SUCH ASSESSED CHARGES HAVE BEEN PAID, NO SUBSEQUENT BID FROM THE DEFAULTING CONTRACTOR WILL BE CONSIDERED.

25. ORDER OF PRIORITY.

IN THE EVENT THERE IS A CONFLICT BETWEEN THE INSTRUCTIONS TO BIDDERS OR STANDARD CONDITIONS AND THE SPECIAL CONDITIONS, THE SPECIAL CONDITIONS SHALL GOVERN.

26. APPLICABLE LAW.

ALL CONTRACTS SHALL BE CONSTRUED IN ACCORDANCE WITH AND GOVERNED BY THE LAWS OF THE STATE OF LOUISIANA.

27. COMPLIANCE WITH CIVIL RIGHTS LAWS.

BY SUBMITTING AND SIGNING THIS BID, BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE FOLLOWING AS APPLICABLE: TITLE VI AND VII OF THE CIVIL RIGHTS ACT OF 1964, AS AMENDED BY THE EQUAL OPPORTUNITY ACT OF 1972, FEDERAL EXECUTIVE ORDER 11246, FEDERAL REHABILITATION ACT OF 1973, AS AMENDED, THE VETERAN'S READJUSTMENT ASSISTANCE ACT OF 1974, TITLE IX OF THE EDUCATION AMENDMENTS OF 1972, THE AGE ACT OF 1975, AND BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990. BIDDER AGREES NOT TO DISCRIMINATE IN ITS EMPLOYMENT PRACTICES, AND WILL RENDER SERVICES UNDER ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION, WITHOUT REGARD TO RACE, COLOR, RELIGION, SEXUAL ORIENTATION, NATIONAL ORIGIN, VETERAN STATUS, POLITICAL AFFILIATION, OR DISABILITIES. ANY ACT OF DISCRIMINATION COMMITTED BY BIDDER, OR FAILURE TO COMPLY WITH THESE STATUTORY OBLIGATIONS WHEN APPLICABLE, SHALL BE GROUNDS FOR TERMINATION OF ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION.

28. SPECIAL ACCOMMODATION.

ANY "QUALIFIED INDIVIDUAL WITH A DISABILITY" AS DEFINED BY THE AMERICANS WITH DISABILITIES ACT WHO HAS SUBMITTED A BID AND DESIRES TO ATTEND THE BID OPENING, MUST NOTIFY THIS OFFICE IN WRITING NOT LATER THAN SEVEN DAYS PRIOR TO THE BID OPENING DATE OF THEIR NEED FOR SPECIAL ACCOMMODATIONS. IF THE REQUEST CANNOT BE REASONABLY PROVIDED, THE INDIVIDUAL WILL BE INFORMED PRIOR TO THE BID OPENING.

29. INDEMNITY.

CONTRACTOR AGREES, UPON RECEIPT OF WRITTEN NOTICE OF A CLAIM OR ACTION, TO DEFEND THE CLAIM OR ACTION, OR TAKE OTHER APPROPRIATE MEASURE, TO INDEMNIFY, AND HOLD HARMLESS, THE STATE, ITS OFFICERS, ITS AGENTS AND ITS EMPLOYEES FROM AND AGAINST ALL CLAIMS AND ACTIONS FOR BODILY INJURY, DEATH OR PROPERTY DAMAGES CAUSED BY THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. CONTRACTOR IS OBLIGATED TO INDEMNIFY ONLY TO THE EXTENT OF THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. HOWEVER, THE CONTRACTOR SHALL HAVE NO OBLIGATION AS SET FORTH ABOVE WITH RESPECT TO ANY CLAIM OR ACTION FROM BODILY INJURY, DEATH OR PROPERTY DAMAGES ARISING OUT OF THE FAULT OF THE STATE, ITS OFFICERS, ITS AGENTS OR ITS EMPLOYEES.

30. SIGNATURE AUTHORITY.

IN ACCORDANCE WITH L.R.S. 39:1594 (ACT 121), THE PERSON SIGNING THE BID MUST BE:

- 1. A CURRENT CORPORATE OFFICER, PARTNERSHIP MEMBER OR OTHER INDIVIDUAL SPECIFICALLY AUTHORIZED TO SUBMIT A BID AS REFLECTED IN THE APPROPRIATE RECORDS ON FILE WITH THE SECRETARY OF STATE; OR
- 2. AN INDIVIDUAL AUTHORIZED TO BIND THE VENDOR AS REFLECTED BY A CORPORATE RESOLUTION, CERTIFICATE OR AFFIDAVIT; OR
- 3. OTHER DOCUMENTS INDICATING AUTHORITY WHICH ARE ACCEPTABLE TO THE PUBLIC ENTITY.

SPECIAL TERMS & CONDITIONS	INVITATION TO BID	
NUMBER : 2239088 OPEN DATE: 04/21/10 TIME: 02:00 PM T-NUMBER :	BIDDER:	PAGE 4

- 1 IF THE VENDOR FAILS TO MAKE DELIVERY OR COMPLETE THE SERVICE WITHIN THE TIME SPECIFIED ON THIS PURCHASE ORDER, OR IF THE DELIVERY/SERVICE IS LATE OR UNSATISFACTORY, THE DEPARTMENT OF PUBLIC SAFETY AND CORRECTIONS RESERVES THE RIGHT TO CANCEL AND PURCHASE ELSEWHERE, CHARGING ANY INCREASE IN PRICE TO THE VENDOR ON THE ORIGINAL PURCHASE ORDER.
- 2 THE DEPARTMENT OF CORRECTIONS RESERVES THE RIGHT TO AWARD THE LISTED ITEMS SEPARATELY, GROUPED, OR ON AN ALL OR NONE BASIS, AND TO REJECT ANY OR ALL BIDS AND TO WAIVE ANY INFORMALITIES.
- 3 IF BIDDING OTHER THAN SPECIFIED, SUFFICIENT INFORMATION SHOULD BE ENCLOSED WITH THE BID IN ORDER TO DETERMINE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS.

FAILURE TO COMPLY WITH THIS REQUEST MAY ELIMINATE YOUR BID FROM CONSIDERATION.

DUE TO FISCAL YEAR CONSTRAINTS, FUNDING MAY BE UNAVAILABLE FOR
PAYMENT FOR ITEMS NOT DELIVERED BY JUNE 30. IF DELIVERY CANNOT BE
MADE IN ACCORDANCE WITH THE ORDER, VENDOR MUST ADVISE THE AGENCY OF
INABILITY TO SUPPLY.

PRICE S	HEET	INVITATI	ON TO B	SID		
	: 2239088 : 04/21/10	BIDDER:				PAGE 5
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED	TOTAL
	UNLESS SPECIFIED ELSEWHERE SHIP TO: LOUISIANA STATE PENITENTIARY LSP - 909 WAREHOUSE GENERAL DELIVERY ANGOLA , LA 70712 TO AVOID DELAYS IN PAYMENT, ORIGINAL INVOICE MUST BE MAILED TO THE "BILL TO" ADDRESS ABOVE.					
00002	COMMODITY CODE: 031-53-000000 ===============================	7	EACH			
	YOUR RESPONSE TO THIS SOLICITATION MAY BE SUBMITTED BY FAX TO 225.342.6593. THE BID MUST BE SIGNED & RECEIVED PRIOR TO THE BID OPENING DATE & TIME.					
	CEILING REGISTER, WHITE 12" X 12" ALL STEEL CONSTRUCTION 3-WAY DEFLECTION MULTI-SHUTTER VALVE HART & COOLEY BRAND MFG #683 OR EQUAL SPECIFY BRAND (& NUMBER IF APPLICABLE)					
00005	COMMODITY CODE: 031-53-000000	1	EACH			
	RETURN AIR FILTER GRILLE, WHITE 24" X 30" REMOVABLE FACE ALL STEEL CONSTRUCTION 1/2" FIN SPACING ONE-WAY DEFLECTION (2 ROWS OF FINS) USES STANDARD 1" FILTERS, NOT INCLUDED HART & COOLEY BRAND MFG # 673 OR EQUAL					

INICES	HEET	IIIVIII	ON TO BII	<u> </u>	
	: 2239088 : 04/21/10 TIME: 02:00 PM :	BIDDER:			PAC
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	SPECIFY BRAND (& NUMBER IF APPLICABLE)				
00006	COMMODITY CODE: 031-53-000000 REGISTER BOX, INSULATED 12" X 12" X 8" COMES WITH 1" THICK R6 FIBERGLASS INSULATION TRANSITIONS FROM ROUND DUCT PIPE TO RECTANGLE REGISTER GRILL MILL FINISH CODY COMPANY MFG #640 OR EQUAL SPECIFY BRAND (& NUMBER IF APPLICABLE)	7	EACH		
00007	COMMODITY CODE: 031-96-000000 HIGH WIND CAP, 4" FOR TYPE B GAS VENTS DOUBLE WALL, AIR INSULATED WITH LOCKING MECHANISMS METAL FAB BRAND MFG # 4MCHP OR EQUAL SPECIFY BRAND (& NUMBER IF APPLICABLE)	2	EACH		
00011	COMMODITY CODE: 031-53-000000 RETURN AIR FILTER GRILLE, WHITE 24" X 24" REMOVABLE FACE ALL STEEL CONSTRUCTION 1/2" FIN SPACING ONE-WAY DEFLECTION (2 ROWS OF FINS)	1	EACH		

PRICE S	HEET	INVITATI	ON TO B	ID		
	: 2239088 : 04/21/10 TIME: 02:00 PM :	BIDDER:				PAGE 7
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED	TOTAL
	USES STANDARD 1" FILTERS, NOT INCLUDED HART & COOLEY BRAND MFG #673 OR EQUAL SPECIFY BRAND (& NUMBER IF APPLICABLE)					
00012	COMMODITY CODE: 031-53-000000 REGISTER BOX, INSULATED 14" X 6" X 8" COMES WITH 1" THICK R6 FIBERGLASS INSULATION TRANSITIONS FROM ROUND DUCT PIPE TO RECTANGLE REGISTER GRILL MILL FINISH CODY COMPANY MFG # 640 OR EQUAL SPECIFY BRAND (& NUMBER IF APPLICABLE)	5	EACH			
00013	COMMODITY CODE: 031-53-000000 REGISTER BOX, INSULATED 12" X 6" X 6" COMES WITH PRE-INSTALLED 1" THICK R6 FIBERGLASS INSULATION TRANSITIONS FROM ROUND DUCT PIPE TO RECTANGLE REGISTER GRILL MILL FINISH	2	EACH			
00016	CODY COMPANY MFG # 640 OR EQUAL SPECIFY BRAND (& NUMBER IF APPLICABLE) COMMODITY CODE: 031-96-000000	7	EACH			

PRICE SI	HEET	INVITATI	ON TO B	ID		
	: 2239088 : 04/21/10 TIME: 02:00 PM :	BIDDER:				PAGE 8
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDE	O TOTAL
	START COLLAR, 8" WITH DAMPER JOVAL BRAND MFG # A1454 OR EQUAL SPECIFY BRAND (& NUMBER IF APPLICABLE)					
00017	COMMODITY CODE: 031-96-000000 START COLLAR, 10" WITH DAMPER JOVAL BRAND MFG # A1456 OR EQUAL SPECIFY BRAND (& NUMBER IF	3	EACH			
00019	APPLICABLE) COMMODITY CODE: 031-96-000000 ADJUSTABLE ELBOW, 90 DEGREE FOR TYPE B GAS VENT DOUBLE WALL, AIR INSULATED WITH LOCKING MECHANISMS 4"	2	EACH			
	METAL FAB BRAND MFG # 4M90 OR EQUAL SPECIFY BRAND (& NUMBER IF APPLICABLE)					
00022	COMMODITY CODE: 031-96-000000 FLASHING, FOR TYPE B GAS VENTS 4" PITCH: FLAT - 5/12 DOUBLE WALL, AIR INSULATED WITH LOCKING MECHANISMS	1	EACH			

PRICE S	HEET	INVITATI	ON TO B	ID		
	: 2239088 : 04/21/10 TIME: 02:00 PM :	BIDDER:				PAGE 9
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDE	TOTAL
	METAL FAB BRAND MFG # 4MF OR EQUAL SPECIFY BRAND (& NUMBER IF APPLICABLE)					
00023	COMMODITY CODE: 031-96-000000 INSULATED WYE 10" X 8" X 8" MINIMUM 1" THICK R6 INSULATION JOVAL BRAND MFG # A1964 OR EQUAL SPECIFY BRAND (& NUMBER IF APPLICABLE)	3	EACH			
00025	COMMODITY CODE: 031-96-000000 PIPE INSULATION 3/8" WALL THICKNESS HEAT RETARDANT PREVENTS CONDENSATION MEETS ASTM E-84, 25/50 FLAME & SMOKE WORKING TEMP: -70 TO +220 DEG FAHRENHEIT NON-SLIT, RUBBER BASE DESIGNED FOR 3/4" A.D. COPPER TUBE	10	EACH			
00026	6' LENGTHS K-FLEX USA INSUL-TUBE BRAND OR EQUAL SPECIFY BRAND (& NUMBER IF APPLICABLE) COMMODITY CODE: 031-33-000000	2	SHT			

PRICE S	HEET	INVITATI	ON FO B	טו		1
	: 2239088 : 04/21/10 TIME: 02:00 PM :	BIDDER:				PAGE 10
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED	TOTAL
	SHEET METAL FOR DUCTWORK FLAT 48" X 120" 26 GAUGE SPECIFY BRAND (& NUMBER IF APPLICABLE)					
00027	COMMODITY CODE: 031-33-000000 START COLLAR, 6"	1	EACH			
	WITH DAMPER JOVAL BRAND MFG # A1452 OR EQUAL SPECIFY BRAND (& NUMBER IF APPLICABLE)					
00028	COMMODITY CODE: 031-25-000000 HIGH TEMPERATURE SOLDERLESS TERMINAL KIT FOR USE ON MOTORS, COMPRESSORS, APPLIANCES AND OTHER APPLICATIONS NEEDING A HEAVY-DUTY TERMINAL WITHSTANDS HIGH HEAT APPLICATIONS UP TO 900 DEG FAHRENHEIT KIT INCLUDES ALL OF THE FOLLOWING: 25 EACH OF NON-INSULATED BUTT CONNECTORS MADE OF NICKEL-PLATED STEEL ALLOY, FOR 16-14 GAUGE WIRE	1	кіт			
	25 EACH OF NON-INSULATED BUTT CONNECTORS MADE OF NICKEL-PLATED STEEL ALLOY, FOR 12-10 GAUGE WIRE 25 EACH OF NON-INSULATED MALE DISCONNECT MADE OF NICKEL-PLATED STEEL ALLOY, FOR 18-14 GAUGE WIRE WITH 0.250 BLADE/STUD SIZE 25 EACH OF NON-INSULATED RING TERMINAL MADE OF NICKEL-PLATED STEEL ALLOY, FOR 16-14 GAUGE WIRE, WITH 8-10 BLADE/STUD SIZE 25 EACH OF NON-INSULATED RING TERMINAL					

PRICE S	HEET	INVITATI	ON TO B	ID		
	: 2239088 : 04/21/10 TIME: 02:00 PM :	BIDDER:				PAGE 11
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED	TOTAL
	MADE OF NICKEL-PLATED STEEL ALLOY, FOR 12-10 GAUGE WIRE, WITH 8-10 BLADE/STUD SIZE 25 EACH OF NON-INSULATED FORK TERMINAL MADE OF NICKEL-PLATED STEEL ALLOY, FOR 12-10 GAUGE WIRE, WITH 10 BLADE/STUD SIZE 25 EACH OF NON-INSULATED FEMALE DISCONNECT MADE OF NICKEL-PLATED STEEL ALLOY, FOR 12-10 GAUGE WIRE, WITH 0.250 BLADE/STUD SIZE 25 EACH OF NON-INSULATED FEMALE FLAG DISCONNECT MADE OF NICKEL-PLATED STEEL ALLOY, FOR 12-10 GAUGE WIRE, WITH 0.250 BLADE/STUD SIZE 50 EACH OF NON-INSULATED FEMALE DISCONNECT MADE OF NICKEL-PLATED STEEL ALLOY, FOR 18-14 GAUGE WIRE, WITH 0.250 BLADE/STUD SIZE 50 EACH OF NON-INSULATED FEMALE FLAG DISCONNECT MADE OF NICKEL-PLATED STEEL ALLOY, FOR 18-14 GAUGE WIRE, WITH 0.250 BLADE/STUD SIZE 10 EACH OF PORCELAIN WIRE CONNECTORS, NATURAL COLOR, FOR 18-14 GAUGE WIRE, 300V MAXIMUM, FOR USE IN TEMPS OVER 302 DEG FAHRENHEIT (150 DEG C) 10 EACH OF PORCELAIN WIRE CONNECTORS, NATURAL COLOR, FOR 18-12 GAUGE WIRE, 300V MAXIMUM, FOR USE IN TEMPS OVER 302 DEG FAHRENHEIT (150 DEG C) 1 ROLL OF GLASS CLOTH TAPE, 1/2" WIDE, 66' LENGTH, 0.007" THICKNESS, WITH THERMOSETTING PRESSURE-SENSITIVE ADHESIVE DESIGNED TO PERFORM AT CLASS B TEMPERATURE (130 DEG C, 266 DEG F). 3M SCOTCH #27 GLASS CLOTH TAPE OR EQUAL JOHNSTONE MFG # JHTRKIT (PART # G32-401) OR EQUAL SPECIFY BRAND (& NUMBER IF APPLICABLE)					
00029	COMMODITY CODE: 031-25-000000 THERMOSTAT	2	EACH			

PRICE SHEET			INVITATION TO BID					
	: 2239088 : 04/21/10 TIME: 02:00 PM :	BIDDER:				PAGE 12		
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED	TOTAL		
00030	NON-PROGRAMMABLE SINGLE HEAT/SINGLE COOL 24 VOLT TEMP RANGE: 50 DEG F TO 90 DEG F NOMINAL DIMENSIONS: 3-1/8" W X 3-1/8" H X 7/8" D COLOR: WHITE TERMINAL DESIGNATIONS: R,W,Y,G MERCURY-FREE SNAP-ACTION BIMETAL SWITCH HONEYWELL MFG # T812C1000 OR EQUAL SPECIFY BRAND (& NUMBER IF APPLICABLE) COMMODITY CODE: 031-25-000000 THERMOSTAT WIRE 20 GAUGE SOLID COPPER 60 DEG C PVC JACKET 30V MAXIMUM LOAD CURRENT: 3.2A 6 CONDUCTORS COLOR COMBINATION LISTED IN ORDER:WHITE, RED, GREEN, BLUE, YELLOW, BROWN 250' PER SPOOL COLEMAN CABLE INC BRAND MFG # 55206 OR EQUAL SPECIFY BRAND (& NUMBER IF APPLICABLE) COMMODITY CODE: 031-23-000000 LINES # 31, 32, AND 33 MUST BE COMPATIBLE IN ORDER TO FUNCTION AS ONE COMPLETE SYSTEM.	1	EACH					

PRICE S	HEET	INVITATION	ON TO BI	D		
	: 2239088 : 04/21/10 TIME: 02:00 PM :	BIDDER:				PAGE 13
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDE	TOTAL
	5-TON R410A CHLORINE-FREE REFRIGERANT 13 SEER 208/230 V, 1 PHASE, 60 HZ 60,000 BTU/H STEEL LOUVER COIL GUARD SCROLL COMPRESSOR WITH SOUND CONTROL TOP HIGH AND LOW PRESSURE SWITCH FACTORY INSTALLED FILTER DRIER 850 RPM CONDENSER FAN MOTOR COPPER TUBE/ENHANCED ALUMINUM FIN COIL TOP AND SIDE MAINTENANCE ACCESS BRASS LIQUID AND SUCTION LINE SERVICE VALVES CONTACTOR WITH LUG CONNECTION GROUND LUG CONNECTION GROUND LUG CONNECTION OWDER-PAINT FINISH WITH 500-HOUR SALT SPRAY APPROVAL HEAVY-GAUGE GALVANIZED STEEL CABINET AHRI CERTIFIED, ETL LISTED COMPRESSOR: RLA: 26.4 LRA: 134 CONDENSER FAN MOTOR: 1/4 HP FLA: 1.5 REFRIGERATION SYSTEM: LIQUID LINE SIZE: 3/8" O.D. SUCTION LINE SIZE: 1-1/8" O.D. LIQUID VALVE SIZE CONNECTION: 3/8" O.D. SUCTION VALVE SIZE CONNECTION: 7/8" O.D. SUCTION VALVE SIZE CONNECTION: 7/8" O.D. SUCTION VALVE SIZE CONNECTION: 7/8" O.D. SUCTION VALVE SIZE CONNECTION: 3/8" O.D. SUCTION VALVE SIZE CONNECTION: 3/8" O.D. SUCTION VALVE SIZE CONNECTION: 3/8" O.D. SUCTION VALVE SIZE ONNECTION: 7/8" O.D. SUCTION VALVE SIZE ONNECTION: 3/8" O.D. SUCTION VALVE SIZE ONNE					

OPEN DATE: 04/21/10 TIME: 02:00 PM THUMBER: COMMODITY CODE: 031-51-000000 1 EACH NO. COMMODITY CODE: 031-51-000000 1 EACH LINES # 31.32, AND 33 MUST BE COMPATIBLE IN ORDER TO FUNCTION AS ONE COMPATIBLE TWO-STAGE GONE ORDER TWO-STAGE GAS VALVE CONVERTIBLE TWO-STAGE CONTROL 110V SILICON INTRIBOE IGNITER INDUCED DRAFT BLOWER FOUR-SPEED DIRECT-DRIVE CIRCULATOR BLOWER MOTOR INTERGRATED ELECTRONIC FURNACE CONTROL BOARD LOW VOLTAGE TERMINAL BLOCK LOW CONSTANT FAN MODE SELF-ADJUSTING LOW-STAGE TIMING FOIL-FACED INSULATION IN HEAT EXCHANGER COMPATIMENT 72,000ETH OUTPUT TEMPERATURE RISE RANGE: 35-65 DEG F CABINET FEATURES: FULLY INSULATED. HEAVY GAUGE STEEL CABINET WITH BAKED ENAMEL FINISH FACTORY SEALED TO ENSURE 2% OR LESS LEAKAGE RATE REMOVEABLE BOTTOM FOR SIDE OR BOTTOM RETURN APPLICATIONS LEFT OR RIGHT CONNECTION FOR GAS AND ELECTRIC SERVICE CIRCULATOR BLOWER: 10° D X 10°W 12 HP @ 1075 RPM 4 SPEED 4" VENT DIAMETER 4 BURNERS	PRICE S	HEET	INVITATI	ONTOB	טופ		1
NO. COMMODITY CODE: 031-51-000000 LINES # 31,32, AND 33 MUST BE COMPATIBLE IN ORDER TO FUNCTION AS ONE COMPLETE SYSTEM FURNACE, FOR USE WITH 5-TON SPLIT SYSTEM 2-STAGE, MULTI-SPEED NATURAL GAS 80% AFUE UPFLOW/HORIZONTAL 90,000 BTU/H INPUT MAXIMUM CFM @ 0.5" ESP: 2,000 TUBULAR HEAT EXCHANGER TWO-STAGE GAS VALVE CONVERTIBLE TWO-STAGE CONTROL 110V SILICON NITRIDE IGNITER INDUCED DRAFT BLOWER FOUR-SPEED DIRECT-DRIVE CIRCULATOR BLOWER MOTOR INTERGRATED ELECTRONIC FURNACE CONTROL BOARD LOW VOLTAGE TERMINAL BLOCK LOW CONSTANT FAN MODE SELF-ADJUSTING LOW-STAGE TIMING FOIL-FACED INSULATION IN HEAT EXCHANGER COMPARTMENT 72,000BTU/H OUTPUT TEMPERATURE RISE RANGE: 35-65 DEG F CABINET WITH BAKED ENAMEL FINISH FACTORY SEALED TO ENSURE 2% OR LESS LEAKAGE RATE REMOYEABLE BOTTOM FOR SIDE OR BOTTOM RETURN APPLICATIONS LEFT OR RIGHT CONNECTION FOR GAS AND ELECTRIC SERVICE CIRCULATOR BLOWER: 10" D X 10"W 1/2 HP @ 1075 RPM 4 SPEED 4" VENT DIAMETER 4 BURNERS	OPEN DATE	: 04/21/10 TIME: 02:00 PM	BIDDER:				PAGE 14
LINES # 31,32, AND 33 MUST BE COMPATIBLE IN ORDER TO FUNCTION AS ONE COMPLETE SYSTEM FURNACE, FOR USE WITH 5-TON SPLIT SYSTEM 2-STAGE, MULTI-SPEED MATURAL GAS 80% AFUE UPFLOW/HORIZONTAL 90,000 BTI/H INPUT MAXIMUM CFM @ 0.5" ESP: 2,000 TUBULAR HEAT EXCHANGER TWO-STAGE GAS VALVE CONVERTIBLE TWO-STAGE CONTROL 110V SILICON NITHIDE IGNITER INDUCED DRAFT BLOWER FOUR-SPEED DIRECT-DRIVE CIRCULATOR BLOWER MOTOR INTERGRATED ELECTRONIC FURNACE CONTROL BOARD LOW VOLTAGE TERMINAL BLOCK LOW CONSTANT FAN MODE SELF-ADJUSTING LOW-STAGE TIMING FOIL-FACED INSULATION IN HEAT EXCHANGER COMPARTMENT 72,000BTU/H OUTPUT TEMPERATURE RISE RANGE: 35-65 DEG F CABINET FEATURES: FULLY INSULATED, HEAVY GAUGE STEEL CABINET WITH BAKED ENAMEL FINISH FACTORY SEALED TO ENSURE 2% OR LESS LEAKAGE RATE REMOVEABLE BOTTOM FOR SIDE OR BOTTOM RETURN APPLICATIONS LEFT OR RICHT CONNECTION FOR GAS AND ELECTRIC SERVICE CIRCULATOR BLOWER: 10" D X 10"W 1/2 HP @ 1075 RPM 4 SPEED 4" VENT DIAMETER		COMMODITY/SERVICE DESCRIPTION		UNIT	UNIT PRICE	EXTENDE	TOTAL
4 BURNERS	NO.	COMMODITY CODE: 031-51-000000 ******************************	FROM/TO		UNIT PRICE	EXTENDE	DITOTAL
960 SQ IN DISPOSABLE FILTER SIZE ELECTRICAL DATA: MIN: 12.5 AMP MAX: 15 AMP		4 BURNERS 960 SQ IN DISPOSABLE FILTER SIZE ELECTRICAL DATA:					

PRICE S	SHEET	INVITATIO	ON TO B	ID		
NUMBER	: 2239088 : 04/21/10 TIME: 02:00 PM	BIDDER:				PAGE 15
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED	TOTAL
00033	115 VAC 60 HZ SINGLE PHASE GAS SERVICE CONNECTION: 1/2" FPT NOMINAL DIMENSIONS: 21"W X 28"D X 39"H GOODMAN MFG # GMH80905CN OR EQUAL SPECIFY BRAND (& NUMBER IF APPLICABLE) COMMODITY CODE: 031-18-000000 LINES # 31, 32, AND 33 MUST BE COMPATIBLE IN ORDER TO FUNCTION AS ONE COMPLETE SYSTEM. EVAPORATOR COIL CASED INDOOR COIL FOR USE WITH 5-TON CONDENSING UNIT 13 SEER SPLIT SYSTEM UPFLOW/DOWNFLOW APPLICATION SUITABLE FOR USE WITH EITHER R-410A OR R-22 REFRIGERANT RIFLED COPPER TUBING AND WAVE PATTERN ALUMINUM FIN COILS SLOPED PLASTIC DRAIN PAN SPLIT SEAM FRONT FOIL-FACED INSULATION CHECK FLOWRATOR EXPANSION DEVICE PAINTED CABINET DESIGNED TO FIT 21" FURNACE CABINET COMES WITH TWO 1-3/4" ADAPTER PLATES PLENUM OPENING: 20"W X 29"H EVAPORATOR COIL FACE AREA: 6 SQ FT COIL DIMENSIONS: 16-3/4"W X 26"H LIQUID LINE CONNECTION: 3/8" SUCTION LINE CONNECTION: 7/8" NOMINAL DIMENSIONS: 21"W X 21"D X 30"H GOODMAN MFG # CAPF4860C6 OR EQUAL	1	EACH			

PRICE S	HEET	INVITATI	ON TO B	ID		
	: 2239088 : 04/21/10 TIME: 02:00 PM :	BIDDER:				PAGE 16
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDE	TOTAL
	SPECIFY BRAND (& NUMBER IF APPLICABLE)					
00034	COMMODITY CODE: 031-23-000000 LINES # 34 AND 35 MUST BE COMPATIBLE IN ORDER TO FUNCTION AS ONE COMPLETE SYSTEM	1	EACH			
	CONDENSING UNIT 3-TON, 13 SEER 36,000 BTU/H R-410A CHLORINE-FREE REFRIGERANT DESIGNED FOR A SPLIT SYSTEM SCROLL COMPRESSOR FACTORY-INSTALLED LIQUID LINE FILTER DRIER 850-RPM CONDENSER FAN MOTOR COPPER TUBE/ALUMINUM FIN COIL BRASS LIQUID AND SUCTION LINE SERVICE VALVES CONTACTOR WITH LUG CONNECTION GROUND LUG CONNECTION AHRI CERTIFIED, ETL LISTED SOUND CONTROL TOP STEEL LOUVER COIL GUARD HEAVY GAUGE STEEL CABINET WITH GRAY POWDER-PAINT FINISH THAT HAS A 500-HOUR SALT-SPRAY APPROVAL TOP AND SIDE MAINTENANCE ACCESS COMPRESSOR: RLA: 16.6					
	LRA: 79 CONDENSER FAN MOTOR: 1/6 HP FLA: 1.1 REFRIGERANT LINE SIZE: LIQUID LINE SIZE: 3/8" O.D. SUCTION LINE SIZE: 7/8" O.D. REFRIGERANT CONNECTION SIZE: LIQUID VALVE SIZE: 3/8" O.D. SUCTION LINE SIZE: 3/4" O.D. SWEAT CONNECTIONS					

PRICE S	SHEET	INVITATI	ON TO B	ID		
	: 2239088 : 04/21/10 TIME: 02:00 PM :	BIDDER:				PAGE 17
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDE	D TOTAL
00035	ELECTRICAL DATA: 208/230 V 60 HZ, SINGLE PHASE MIN AMP: 21.9 MAX AMP: 35 MIN/MAX VOLT: 197/253 NOMINAL DIMENSIONS: 29"W X 29"D X 32-1/4"H GOODMAN MFG # GSX130361 OR EQUAL SPECIFY BRAND (& NUMBER IF APPLICABLE) COMMODITY CODE: 031-28-000000 LINES # 34 AND 35 MUST BE COMPATIBLE IN ORDER TO FUNCTION AS ONE COMPLETE SYSTEM MULTI-POSITION AIR HANDLER 3-TON FOR USE AS PART OF A SPLIT SYSTEM 36,000 BTU/H R-410A REFRIGERANT DIRECT-DRIVE, MULTI-SPEED MOTOR CAPABLE OF HORIZONTAL, UPFLOW, OR DOWN-FLOW INSTALLATIONS AHRI CERTIFIED, ETL LISTED CHECK FLOWRATER EXPANSION DEVICE TRANSFORMER AND BLOWER TIME-DELAY RUST-RESISTANT, FULLY INSULATED STEEL CABINET WITH GALVANIZED, LEATHER GRAIN EMBOSSED FINISH AND GRAY PAINTED FRONT PANELS BUILT-IN COIL HAS HORIZONTAL, VERTICAL, AND DOWNFLOW DRAIN PANS WITH SECONDARY DRAIN CONNECTIONS BUILT-IN FILTER RACK FOR 1" FILTER (NOT INCLUDED) POWER SUPPLY ENTRY AT TOP LOW-VOLTAGE ENTRY ON LEFT SIDE AND TOP CFM (HIGH/MED/LOW): 1230/1140/955 BLOWER: DIAMETER: 9-1/2"	1	EACH			

PRICE S	SHEET	INVITATION TO BID					
	: 2239088 : 04/21/10 TIME: 02:00 PM :	BIDDER:				PAGE 18	
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDE	D TOTAL	
	WIDTH: 6" COIL DRAIN CONNECT FPT: 3/4" FLA: 2.64 1/3 HP SERVICE VALVE: LIQUID: 3/8" SUCTION: 3/4" ELECTRICAL DATA: VOLTAGE: 208/240 MIN AMP: 3.3 MAX AMP: 15 MIN/MAX VAC: 197/253 MAX OVERALL DIMENSIONS: 22"W X 22"D X 46-3/4"H **NOTE: SPACE IS A FACTOR FOR THIS ITEM. ITEM CAN NOT EXCEED MEASUREMENTS LISTED GOODMAN MFG # ARUF363616 OR EQUAL SPECIFY BRAND (& NUMBER IF APPLICABLE)						